PHARMACEUTICAL SAMPLE QUESTIONS

1. Vaccines reduce pain and swelling
a. True
b. False
2.Antibotics prevent and treat disease.
a. True
b. False
3. It is only necessary to be concerned about temperature and light while a vaccine is being used at the chute.
a. True
b. False
4. Product in opened containers will not deteriorate over time if it is stored under proper conditions.
a. True
b. False
5. Which factor will not affect efficacy of animal health products.
a. Time
b. Temperature
c. Humidity
6. When using vaccines that require mixing (rehydrated) prior to use, a good rule of thumb is to not mix more vaccine than can be used in: (choose best answer)
a. 1 Hour
b. 2 Hours
c. 4 Hours
d. 8 Hours
7. Which of the following is not a good general guideline to follow for vaccines?
a. Transport, store and handle at ambient temperature
b. Minimize exposure to light
c. Keep vaccines cool during transportation, storage and use
d. Expose to light to increase activity

8. Which of the following is not an accepted rules of thumb for changing needles?
a. Change every 10-20 injections
b. Change every 50 injections
c. Change each time the multidose syringe requires reloading

- 9. Syringes utilized to administer vaccines should be: (choose best answer)
 - a. Cleansed with detergent after each use
 - b. Cleansed with disinfectant after each use

d. Change daily before starting the day's work

- c. Cleansed with hot, clean water after each use
- 10. Which of the following statements is not true about withdrawal time?
 - a. It is not of any concern to beef producers
 - b. It is listed on the label and packaging for animal health products
 - c. It is the amount of time that must pass in order for tissue residues of an animal health product to decrease to concentrations considered safe by the FDA
 - d. It must be extended when products are used extra-label
- 11. Extra-label drug use is allowed if:
 - a. The producer decided there are no other alternatives
 - b. Authorized by a veterinarian
 - c. Authorized by a veterinarian and a veterinarian-client-patient relationship exists
- 12. Injection site lesions are caused by:
 - a. Irritation from injected animal health products
 - b. Irritation from damaged or dull needles
 - c. Contamination of the injections site
 - d. All the above
- 13. Which of the following will not reduce injection site lesions and losses from lesions?
 - a. Use subcutaneous rather than intramuscular route of administration
 - b. Place all injections in the neck region
 - c. Change needles frequently
 - d. Use the intramuscular route of injection whenever possible.
- 14. Injection site lesions are not a food safety issue.
 - a. True
 - b. False

ANSWERS

1. Vaccines reduce pain and swelling

a. True
b. False
2.Antibotics prevent and treat disease.
a. True
b. False
3. It is only necessary to be concerned about temperature and light while a vaccine is being used at the chute.
a. True
b. False
4. Product in opened containers will not deteriorate over time if it is stored under proper conditions.
a. True
b. False
5. Which factor will not affect efficacy of animal health products.
a. Time
b. Temperature
c. Humidity
6. When using vaccines that require mixing (rehydrated) prior to use, a good rule of thumb is to not mix more vaccine than can be used in: (choose best answer)
a. 1 Hour
b. 2 Hours
c. 4 Hours
d. 8 Hours
7. Which of the following is not a good general guideline to follow for vaccines?
a. Transport, store and handle at ambient temperature
b. Minimize exposure to light
c. Keep vaccines cool during transportation, storage and use
d. Expose to light to increase activity

8. Which of the following is not an accepted rules of thumb for changing needles?
a. Change every 10-20 injections
b. Change every 50 injections
c. Change each time the multidose syringe requires reloading
d. Change daily before starting the day's work
9. Syringes utilized to administer <u>vaccines</u> should be: (choose best answer)
a. Cleansed with detergent after each use
b. Cleansed with disinfectant after each use
c. Cleansed with hot, clean water after each use
10. Which of the following statements is not true about withdrawal time?
a. It is not of any concern to beef producers
b. It is listed on the label and packaging for animal health products
c. It is the amount of time that must pass in order for tissue residues of an animal health product to decrease to concentrations considered safe by the FDA
d. It must be extended when products are used extra-label
11. Extra-label drug use is allowed if:
a. The producer decided there are no other alternatives
b. Authorized by a veterinarian
c. Authorized by a veterinarian and a veterinarian-client-patient relationship exists
12. Injection site losions are caused by:

- 12. Injection site lesions are caused by:
 - a. Irritation from injected animal health products
 - b. Irritation from damaged or dull needles
 - c. Contamination of the injections site
 - d. All the above
- 13. Which of the following will not reduce injection site lesions and losses from lesions?
 - a. Use subcutaneous rather than intramuscular route of administration
 - b. Place all injections in the neck region
 - c. Change needles frequently
 - d. Use the intramuscular route of injection whenever possible.
- 14. Injection site lesions are not a food safety issue.
 - a. True
 - b. False